

CATALOGUE 2019

# FISHING AND OUTDOOR

MOBILE REFRIGERATION AND  
COOLING FOR OUTDOOR PURSUITS



 **DOMETIC**






## MEET OUR AMBASSADORS

**"WHAT A FEELING, KNOWING YOU CAN  
TAKE YOUR FAVORITE FOOD TO EVEN THE  
WILDEST SPOTS ON THE PLANET."**

JAN HRDLICKA, DOMETIC AMBASSADOR

Adventurer, explorer and angler, Jan Hrdlicka always packs Dometic coolers as he seeks out the best wild fishing spots in Europe.

[Read more on page 10](#)



# GREAT GEAR FOR THE GREAT OUTDOORS

## DOMETIC COOLERS AND ACCESSORIES FOR NATURE LOVERS

Outsmarting carp in a still lake, casting a fly in a wild river, or hunting game fish from a boat. However you hook them, you need to keep cool. Dometic coolboxes are every fisherman's best friend. Highly adaptable, brilliantly insulated, and extremely durable – they make

the perfect companion for every trip. Simply put, they're a great upgrade for your next fishing adventure. We call it Mobile living made easy.



## WELCOME TO DOMETIC!

Millions of people around the world are using Dometic products. They all have one thing in common – the longing for freedom and independence on the move. Our job is to meet their essential needs on the journey. Like cooking, keeping food fresh, taking care of personal hygiene and maintaining a pleasant temperature. We also create solutions to make driving safer and more convenient and innovative electronic devices for smart use of precious battery power. Welcome to our new catalogue! We invite you to go on a journey of discovery. Explore the Dometic world and let us know what we can do for you.

### 01 DOMETIC COOL-ICE CI / WCI

Our award-winning iceboxes keep ice frozen for days – and your catch, provisions and baits reliably cool.



p. 4–5

### 02 DOMETIC COOLFREEZE CFX

Our most powerful compressor coolers ever: energy class A++ and freezer temperatures down to –22 °C!



p. 6–7

### 03 DOMETIC COMBICOOL ACX 40 G

Cooling wherever you want: 12-volt vehicle or boat battery, 230-volt mains hook-up, or gas cartridge!



p. 8

### 04 DOMETIC PLB 40

Travel off-grid for longer: This portable power pack supplies your 12-volt devices in remote places.



p. 9





Dometic iceboxes feature an extremely effective insulation system. Fitted with ice packs or ice cubes, they can keep groceries, fish, bait and wild game fresh for several days. Almost indestructible and amazingly lightweight ... the perfect fishing box for your next fishing trip!

Two series are available – Cool-Ice WCI with adjustable carrier straps and Cool-Ice CI with a modular storage system and many practical accessories.

## DOMETIC COOL-ICE FEATURES

Rotation moulded ice boxes, 13 – 110 l

- Strong heavy duty design
- Fridge grade insulation
- Seamless, easy to clean
- Drain plugs (33l up)
- Stainless steel fixings
- Comprehensive range of accessories
- 5 year warranty

**NEW!**

WCI 22 and CI 42  
now also in green



## COOL ACCESSORIES FOR CI SERIES ONLY

Cool-Ice CI boxes are even cooler with the right accessories. Seat cushions, fishing rod holders and bottle openers make them indispensable companions for fishermen, campers and other nature lovers. Note: accessories are optional extras.

See [dometic.com](https://dometic.com) and p. 12



# COOL-ICE CI

Cool-Ice CI series ice boxes come in six different sizes, from 43 to 111 litres. Their spacious interior is well organised by a modular storage system consisting of wire baskets and dividers. Sturdy carrying handles on both sides facilitate transport. Practical accessories add the finishing touch.



# COOL-ICE WCI

Cool-Ice WCI series ice-boxes owe their popularity to their handy size and a practical carrier strap. Available in three sizes: 13, 22 and 33 litres.

**COOL-ICE WCI**  
handy size  
and a practical  
carrier strap



For full technical data and reference numbers of Dometic Cool-Ice WCI and CI range see p. 12



## TIP FOR USE


If possible, store the Dometic iceboxes in cool surroundings for several hours before use and keep them out of direct sunlight. If being filled with drinks or groceries, we recommend chilling the items beforehand. Standard freezer packs or ice cubes are

suitable as coolants. Air will compromise the cooling capacity and shorten the duration of cooling. Therefore avoid opening it unnecessarily and pack the boxes as full as possible.



## HEAVY DUTY QUALITY

Fit for the rigors of mobile life – can even be used as a seat or to stand on



## FULLY INTEGRATED HINGES

With stainless steel rods for more stability and smooth contours



## COOL-ICE CI 85W

with wheels and pull-out handle



## ROBUST TETHERING POINTS

Integrated in the handle anchors (WCI 33 or higher).



## LABYRINTH SEAL

The labyrinth seal prevents any heat from making its way into the interior.



## STABLE HANDLES

Making it easy to transport by one or two people. (WCI 33 or higher)





# THE COOLEST BOX EVER

The Dometic CoolFreeze CFX has some seriously impressive features. Firstly, there's the CFX Special Electronics which include an intelligent automatic turbo cooler and memory function. Then not only is it suitable for deep freezing down to  $-22^{\circ}\text{C}$  but it is also suitable for operation on solar power. Plus, regardless of the outside temperature, this fridge/freezer will provide a first class, superbly quiet cooling performance. You can take this amazing freezer wherever you go! Fitted with heavy-duty details like reinforced corners, stainless steel hinges and a robust lid lining, the high-tech CFX series can withstand the most demanding of loads. The CFX 35W to CFX 100W models give you the convenient option of controlling and monitoring the cooling temperature by WiFi-App.



CFX 40



WIFI-APP



12/24 V



100 - 240 V



SOLAR  
OPERATION

A++

For full technical data and reference numbers of Dometic CFX compressor coolers see p. 13 – 14



#### LED LIGHT

Energy-efficient LED interior light



#### EASY TO CARRY

Space-saving folding and detachable carrying handles



#### ROBUST

Heavy-duty design with reinforced corners and a robust closing mechanism



#### CONNECTIVITY

USB port for charging small electronic devices



#### QUICK OVERVIEW

Electronic thermostat with digital temperature display



#### WIFI-APP

Temperature control via WiFi-App\*

CFX 50



### BENEFITS WITH CFX SERIES

- Temperature range +10 to -22 °C
- 12/24 volts DC and 100 – 240 volts AC
- CFX special electronics with digital temperature display
- Extremely low energy consumption
- 3 stage battery protection
- USB port for charging smartphones or MP3 players (when connected to power)
- Drain plugs make cleaning simple
- Suitable for solar operation
- Temperature control by WiFi-App \*
- Available in 8 versions from 26l – 88l



### STAY LONGER

The award winning Dometic PLB40 can give you the power to stay longer.  
See page 9



# THE FREEDOM TO ROAM

High performance wherever you need it! The Combicool ACX 40G coolbox can cool contents to as low as 30°C below the ambient temperature. The ACX 40G offers outstanding technological features, you can even make ice cubes in the included ice cube tray. This absorption cooler can work on 12 volt supply in the vehicle,

on 230 volt mains supply at home or 220 g gas cartridge in remote locations. There's an integrated cradle for the gas canister - which will power the box for up to 24 hours. All this, complete with a stylish silver sheet steel exterior, makes the ACX a great buy.

## DOMETIC COMBICOOL ACX 40 G

Portable absorption cooler, 40 l  
(powered by 220 g gas cartridge)

- Powered by gas cartridge, 12 V DC and 230 V AC – guaranteed energy supply, maximizes freedom!
- Absolutely silent operation means no disturbance
- Sturdy housing and attractive design
- Ice cube tray included
- Cooling up to 30 °C below ambient temperature
- Elegant aluminum housing
- Three-stage flame regulation in gas mode



12 V



230 V



GAS



SILENT



Can be  
operated with  
gas cartridges –  
unique in the  
market!

For full technical data see p. 14



Vertical space for 1.5 and 2 litre  
bottles standing



Sturdy housing and attractive design



3-stage flame regulation in gas  
mode, piezo ignition, thermostat  
regulation in 230-volt mode



Each 220 g gas cartridge last up to  
24 hours



# THE POWER TO STAY LONGER

This market-leading battery system is utilizing cutting-edge technology which is a result of years of research and development. The Dometic PLB40 has powerful, integrated Lithium Iron Phosphate (LiFePO<sub>4</sub>) battery cells, providing an energy supply of 512 Wh. Ideal for running powered coolers and other 12 V appliances while on adventures, the PLB40 provides up to 40 hours of cooling time for a Dometic CFX 40W on a single charge. The integrated DC-DC

charger offers three convenient ways to charge via: the vehicle 12 V socket, solar panel or AC power. The battery's integrated battery management system protects the PLB40 from under-voltage, over-voltage, short circuiting and overheating for optimum charge time, performance and storage. With this power management system, the Dometic PLB40 has a cycle of life which is up to five times longer than more commonly used lead-acid batteries.

## DOMETIC PLB40

Portable lithium battery, 40 Ah

- Enables you to travel off-grid for longer
- Three-way charging via 12 V socket, solar panel or AC house power
- Extremely lightweight, ergonomically designed stainless steel carry handle
- Built-in LCD screen displays: capacity, charging status and output
- Specifically designed for Dometic CFX and other powered coolers
- Powerful battery cells provide 512 Wh of energy, 40 Ah
- Can power a Dometic CFX 40W cooler for up to 40 hours on a single charge



CATEGORY OUTDOOR PRODUCTS



For full technical data see p. 13

## STAY LONGER, CATCH MORE

When paired with the CFX 40W Coolfreezer, the PLB40 can supply 40 hours of power (fridge temp 5 degrees) ensuring you never miss feeding time.



High capacity – Lithium iron phosphate (LiFePO<sub>4</sub>) battery provides 40 Ah or 512 Wh of power in a small package



Versatile charging – Charge with a vehicle's 12 V DC cigarette outlet, solar panel, or included wall charger



Multiple power outputs – Power 12 V accessories, Dometic powered coolers, or small electronics





## MEET OUR AMBASSADOR

**JAN HRDLICKA ALWAYS PACKS DOMETIC COOLERS AS HE SEEKS OUT THE BEST WILD FISHING SPOTS IN EUROPE.**

Read more under:

[DOMETIC.COM](https://www.dometic.com) > [OUR BRAND](#) > [DOMETIC AMBASSADOR](#)

[@the\\_fishing\\_huntsman](#)



# ADVENTURER, EXPLORER AND FISHERMAN

## JAN HRDLICKA DOESN'T LEAVE HOME WITHOUT US

Jan is hooked on the great outdoors. He discovered his love for nature and spirit of adventure seven years ago by spending his weekends hiking through the Alps in the south of Germany. When he relocated to Hamburg, he needed to find new ways to quench his thirst for fresh air and new experiences. That's why, three years ago, Jan began to fish in the harbour of Hamburg. His humble hobby quickly grew into a passion and soon he was travelling all over the world to find new spots to cast his lines. He discovered that he was quite good at his

new sport and Jan began searching for a cooler that could hold all the fresh fish he was catching and keep up with his travel needs.

In his research he discovered the reliable and versatile products of Dometic. The Dometic Cool-Ice 42 became his top choice for every fishing trip. Rugged but lightweight, it can take a beating and keep cool for several days without Jan needing to refill the ice. The seat pad and rod holder make it the perfect companion for every fishing





**"DOMETIC COOLERS REALLY CHANGED OUR WAY TO TRAVEL AND TO KEEP THINGS FRESH. WHAT A GOOD FEELING WHEN YOU CAN TAKE YOUR FAVOURITE FOOD WITH YOU EVEN TO THE WILDEST SPOTS ON THE PLANET."**

outing. Jan's favorite feature of the Dometic Cool-Ice 42, besides its ability to sustain low temperatures, is the impressive size and how easy it is to clean and maintain for multiple uses. Ultra-hygienic, it can hold fresh fish, meat, or food without retaining any odour. Jan also has the Dometic Cool-Ice CI 110 for long camping trips and family parties as it has space to cool all the food and supplies needed for ten people.

Keeping things cool and fresh on the road means that he can take his favorite foods with him to even the wildest spots on the planet and still have a healthy, home cooked meal.




Whatever the outdoor activity, whether it be fishing, camping, or just road tripping, there is a dependable Dometic cooler to help keep your fish fresh, your food cool, and your supplies unspoiled so you can focus on reeling in the biggest catch, like Jan.



#### **SASHIMI-QUALITY CAMPING**









"I love food, and a poké bowl with wild trout is the perfect outdoor meal. Fresh fish, herbs, fruit, vegetables, and rice in just 15 minutes." Get Jan's full recipe at [\*\*dometic.com/fishing\*\*](https://dometic.com/fishing)








TECHNICAL DATA			
ICEBOXES			
	<b>WCI 13</b>	<b>WCI 22</b>	<b>WCI 33</b>
<b>Ref. No.</b>	9600000500	9600000501 / 9600019218 (green)	9600000502
<b>Storage volume</b> (l, approx.)	13	22	33
<b>Dimensions</b> (W x H x D, mm)	388 x 305 x 245	388 x 313 x 365	400 x 440 x 360
<b>Weight</b> (kg, approx.)	2.8	4.2	5.7
<b>Material</b>	Rotomoulded PE		

TECHNICAL DATA						
ICEBOXES						
	<b>CI 42</b>	<b>CI 55</b>	<b>CI 70</b>	<b>CI 85</b>	<b>CI 85W</b>	<b>CI 110</b>
<b>Ref. No.</b>	9600000541 9600019218 (green)	9600000542	9600000543	9600000544	9600000545	9600000546
<b>Storage volume</b> (l, approx.)	43	56	71	87	86	111
<b>Dimensions</b> (W x H x D, mm)	640 x 335 x 418	570 x 432 x 515	690 x 432 x 515	840 x 432 x 525	840 x 432 x 525	1055 x 442 x 535
<b>Weight</b> (kg, approx.)	8.7	10.6	11.8	14	14.6	18.1
<b>Material</b>	Rotomoulded PE					

## / Optional extras




	Seat Cushion	9108400892	9108400893	9108400894	9108400895	9108400895	9108400896
	Divider	9108400897	9108400898	9108400898	9108400898	9108400898	9108400898
	Basket Small	9108400899	9108400900	9108400900	9108400900	9108400900	9108400900
	Beverage Holder & Bracket	9108400901	9108400901	9108400901	9108400901	9108400901	9108400901
	Beverage Holder	9108400902	9108400902	9108400902	9108400902	9108400902	9108400902
	Rod Holder	9108400903	9108400903	9108400903	9108400903	9108400903	9108400903
	Bottle Opener	9108400904	9108400904	9108400904	9108400904	9108400904	9108400904
	Fixing Kit	9108400905	9108400905	9108400905	9108400905	9108400905	9108400905



TECHNICAL DATA					
COMPRESSOR COOLERS	CFX 28	CFX 35W	CFX 40W	CFX 50W	CFX 65W
Ref. No.	9600000468	9600000470	9600000472	9600000474	9600000476
Ref. No. UK	9600000469	9600000471	9600000473	9600000475	9600000477
Storage volume (l, approx.) incl. for fresh food (l)	26 3.5	32 4.5	38 7	46 8.5	60 13
Dimensions (W x H x D, mm)	342 x 425 x 620	398 x 411 x 692	398 x 461 x 692	455 x 471 x 725	455 x 561 x 725
Connections	12 / 24 V DC 100 – 240 V AC				
Temperature range ( °C)	+10 to –22				
Refrigerant	R134a	R134a	R134a	R134a	R134a
Refrigerant quantity	38 g	33 g	38 g	43 g	57 g
CO <sub>2</sub> equivalent	0.054 t	0.047 t	0.054 t	0.062 t	0.082 t
Global warming potential (GWP)	1430	1430	1430	1430	1430
Power input (watts, approx.)	40	43	48	52	58
Current consumption (Ah/h) at 12 V at +20 °C at +32 °C ambient temperature, both at +5 °C interior temperature	0.30 0.58	0.32 0.60	0.36 0.64	0.38 0.68	0.42 0.76
Energy class	A++	A++	A++	A++	A++
Insulation PU foam all around	●	●	●	●	●
System	Fully hermetic compressor with integrated control electronics, low-voltage protection / electronic fuse, automatic reverse pole protection, electronic thermostat				
Material	Cabinet: PP + ABS Lid: PE				
Colour	Pale grey / dark grey				
Weight (kg, approx.)	13.1	17.5	18.5	20.4	22.3
Test marks	TÜV/GS, e-certified (Automotive EMC Directive)				
Scope of delivery	●	●	●	●	●
Removable wire basket	●	●	●	●	●
Detachable carrying handles	●	●	●	●	●
/ Optional extras					
Vehicle fixing kit	9600000166	–	–	–	–
Fastening straps	–	9108400905	9108400905	9108400905	9108400905
Cool box stand	9600000689	9600000689	9600000689	9600000689	9600000689
Battery pack BP 124	9600005902	9600005902	9600005902	9600005902	9600005902
Insulated protective cover	–	9600014416	9600014417	9600014418	–


TECHNICAL DATA					
LITHIUM ION BATTERY	PLB40				
Ref. No.	9600012878				
Battery capacity (Ah)	40 / 512 Wh				
Chemistry	LiFePO <sub>4</sub>				
Battery voltage (V, DC)	12.8				
DC output amps	15				
Continuous output (W)	150 (per 12 V connection)				
Dimensions (W x H x D, mm)	197 x 257 x 197				
Weight (kg)	7.54				



TECHNICAL DATA			
	COMPRESSOR COOLERS	CFX 75DZW	CFX 95DZW
Ref. No.	9600001409**	9600000480**	9600000536**
Ref. No. UK	9600001413	9600000163	9600000650
Storage volume (l, approx.) incl. for fresh food (l)	70 43 + 27*	85 50.5 + 34.5*	88 –
Dimensions (W x H x D, mm)	495 x 472 x 887	530 x 472 x 957	530 x 472 x 957
Connections	12 / 24 V DC 100–240 V AC		
Temperature range ( °C)	+10 to –22		
Refrigerant Refrigerant quantity CO <sub>2</sub> equivalent Global warming potential (GWP)	R134a 57 g 0.082 t 1430	R134a 67 g 0.096 t 1430	R134a 64 g 0.092 t 1430
Power input (watts, approx.)	70	65	65
Current consumption (Ah/h) at 12 V at +20 °C at +32 °C ambient temperature, both at +5 °C interior temperature	0.67 1.31	0.75 1.25	0.75 1.25
Energy class	A+	A+	A+
Insulation PU foam all around	●	●	●
System	Fully hermetic compressor with integrated control electronics, low-voltage protection / electronic fuse, automatic reverse pole protection, electronic thermostat		
Material	Cabinet: PP + ABS Lid: PE		
Colour	Pale grey / dark grey		
Weight (kg, approx.)	31	32	32
Test marks	TÜV/GS, e-certified (Automotive EMC Directive)		
Scope of delivery	●	●	●
Removable wire basket	●	●	●
Detachable carrying handles	●	●	●
/ Optional extras			
Vehicle fixing kit	–	–	–
Fastening straps	9108400905	9108400905	9108400905
Cool box stand	9600000689	9600000689	9600000689
Battery pack BP 124	9600005902	9600005902	9600005902
Insulated protective cover	–	–	–

\*2 compartments for cooling and freezing  
with separate controls

\*\* Not available in Switzerland.

TECHNICAL DATA	
	ABSORPTION COOLER
Ref. No.	9105204291
Ref. No. UK	9105204289
Storage volume (l, approx.)	40
Dimensions (W x H x D, mm)	500 x 444 x 508
Connections	12 V DC / 230 V AC Gas cartridge
Consumption	
at 12 volts DC (watts)	85
at 24 volts DC (watts)	–
at 230 volts AC (watts)	85
Gas (g/h)	9.8
Energy class	–
Temperature range	
Cooling below ambient temperature (°C, approx.)	max. 30
Refrigerant	
Refrigerant quantity	–
CO <sub>2</sub> equivalent	–
Global warming potential (GWP)	–
Insulation	●
PU foam all around	●
System	Absorption cooling
Material	Aluminium
Colour	Aluminium finish / black
Weight (kg, approx.)	16
Test marks	Certified to European Gas Appliance Directive 90/396/EEC
/ Optional extras	
Cool box stand	9600000689





Dometic is a global company that makes mobile living easy – by providing great solutions to satisfy people's essential needs when they are on the move. Like cooking, taking care of personal hygiene and maintaining a pleasant temperature. We offer smart and reliable products with outstanding design.





#### AUSTRALIA

##### DOMETIC AUSTRALIA PTY. LTD.

1 John Duncan Court  
Varsity Lakes QLD 4227  
Tel +61 7 55076000  
Fax +61 7 55076001  
Mail [sales@dometic-waeco.com.au](mailto:sales@dometic-waeco.com.au)

#### AUSTRIA

##### DOMETIC AUSTRIA GMBH

Neudorferstrasse 108  
A-2353 Guntramsdorf  
Tel +43 2236 908070  
Fax +43 2236 90807060  
Mail [info@dometic.at](mailto:info@dometic.at)

#### BELGIUM

##### DOMETIC BRANCH OFFICE BELGIUM

Lourdesstraat 84 B  
B-8940 Geluwe  
Tel +32 2 3598040  
Fax +32 2 3598050  
Mail [info@dometic.be](mailto:info@dometic.be)

#### DENMARK

##### DOMETIC DENMARK A/S

Nordensvej 15, Taulov  
DK-7000 Fredericia  
Tel +45 75585966  
Fax +45 75586307  
Mail [info@dometic.dk](mailto:info@dometic.dk)

#### FINLAND

##### DOMETIC FINLAND OY

Valimotie 15  
FIN-00380 Helsinki  
Tel +358 20 7413220  
Mail [info@dometic.fi](mailto:info@dometic.fi)

#### FRANCE

##### DOMETIC SAS

ZA du Pré de la Dame Jeanne  
B.P. 5  
F-60128 Pailly  
Tel +33 3 44633500  
Fax +33 3 44633518  
Mail [info@dometic.fr](mailto:info@dometic.fr)

#### GERMANY

##### DOMETIC WAECO INTERNATIONAL GMBH

Hollefeldstraße 63  
D-48282 Ermsdetten  
Tel +49 (0) 2572 879-0  
Fax +49 (0) 2572 879-300  
Mail [info@dometic-waeco.de](mailto:info@dometic-waeco.de)

#### HONG KONG

##### DOMETIC GROUP ASIA PACIFIC

Suites 2207-11, 22/F, Tower 1  
The Gateway, 25 Canton Road  
Tsim Sha Tsui, Kowloon  
Tel +852 2 4611386  
Fax +852 2 4665553  
Mail [info@waeco.com.hk](mailto:info@waeco.com.hk)

#### HUNGARY

##### DOMETIC ZRT. SALES OFFICE

H-1147 Budapest  
Kerégyártó u. 5.  
Tel +36 1 468 4400  
Fax +36 1 468 4401  
Mail [budapest@dometic.hu](mailto:budapest@dometic.hu)

#### ITALY

##### DOMETIC ITALY S.R.L.

Via Virgilio, 3  
I-47122 Forlì (FC)  
Tel +39 0543 754901  
Fax +39 0543 754983  
Mail [vendite@dometic.it](mailto:vendite@dometic.it)

#### JAPAN

##### DOMETIC KK

Maekawa-Shibaura, Bldg. 2  
2-13-9 Shibaura Minato-ku  
Tokyo 108-0023  
Tel +81 3 5445 3333  
Fax +81 3 5445 3339  
Mail [info@dometic.jp](mailto:info@dometic.jp)

#### MEXICO

##### DOMETIC MX, S. DE R. L. DE C. V.

Circuito Médicos No. 6 Local 1  
Colonia Ciudad Satélite  
CP 53100 Naucalpan de Juárez  
Estado de México  
Tel +52 55 5374 4108  
Fax +52 55 5393 4683  
Mail [info@dometic.com.mx](mailto:info@dometic.com.mx)

#### NETHERLANDS

##### DOMETIC BENELUX B.V.

Ecustraet 3  
NL-4879 NP Etten-Leur  
Tel +31 76 5029000  
Fax +31 76 5029019  
Mail [info@dometic.nl](mailto:info@dometic.nl)

#### NEW ZEALAND

##### DOMETIC NEW ZEALAND LTD.

PO Box 12011  
Penrose  
Auckland 1642  
Tel +64 9 622 1490  
Fax +64 9 622 1573  
Mail [customerservices@dometic.co.nz](mailto:customerservices@dometic.co.nz)

#### NORWAY

##### DOMETIC NORWAY AS

Østerøyveien 46  
N-3236 Sandefjord  
Tel +47 33428450  
Fax +47 33428459  
Mail [firmapost@dometic.no](mailto:firmapost@dometic.no)

#### POLAND

##### DOMETIC POLAND SP. Z O.O

ul. Puławska 435A  
PL-02-801 Warszawa  
Tel +48 22 414 32 00  
Fax +48 22 414 32 01  
Mail [info@dometic.pl](mailto:info@dometic.pl)

#### PORTUGAL

##### DOMETIC SPAIN, S.L.

Branch Office em Portugal  
Rot. de São Gonçalo nº 1 - Esc. 12  
2775-399 Carcavelos  
Tel +351 219 244 173  
Fax +351 219 243 206  
Mail [info@dometic.pt](mailto:info@dometic.pt)

#### RUSSIA

##### DOMETIC RUS LLC

Komsomolskaya square 6 - 1  
RU-107140 Moscow  
Tel +7 495 780 79 39  
Fax +7 495 916 56 53  
Mail [info@dometic.ru](mailto:info@dometic.ru)

#### SINGAPORE

##### DOMETIC PTE LTD

18 Boon Lay Way  
06-141 Trade Hub 21  
Singapore 609966  
Tel +65 6795 3177  
Fax +65 6862 6620  
Mail [dometic.sg@dometic.com](mailto:dometic.sg@dometic.com)

#### SLOVAKIA & CZECH REPUBLIC

##### DOMETIC SLOVAKIA S.R.O.

Sales Office Bratislava  
Nádražná 34/A  
900 28 Ivanka pri Dunaji  
Tel +421 2 45 529 680  
Fax +421 2 45 529 680  
Mail [bratislava@dometic.com](mailto:bratislava@dometic.com)

#### SOUTH AFRICA

##### DOMETIC (PTY) LTD.

Regional Office South Africa &  
Sub-Saharan Africa  
2 Avalon Road, West Lake View  
Ext 11, Modderfontein 1645  
Tel +27 87 3530380  
Mail [info@dometic.co.za](mailto:info@dometic.co.za)

#### SPAIN

##### DOMETIC SPAIN, S.L.

Avda. Sierra del Guadarrama, 16  
E-28691 Villanueva de la Cañada  
Madrid  
Tel +34 91 833 6089  
Fax +34 900 100 245  
Mail [info@dometic.es](mailto:info@dometic.es)

#### SWEDEN

##### DOMETIC SCANDINAVIA AB

Gustaf Melins gata 7  
SE-421 31 Västra Frölunda  
Tel +46 31 7341100  
Fax +46 31 7341101  
Mail [info@dometicgroup.se](mailto:info@dometicgroup.se)

#### SWITZERLAND

##### DOMETIC SWITZERLAND AG

Riedackerstrasse 7a  
CH-8153 Rümlang  
Tel +41 44 8187171  
Fax +41 44 8187191  
Mail [info@dometic.ch](mailto:info@dometic.ch)

#### UNITED ARAB EMIRATES

##### DOMETIC MIDDLE EAST FZCO

P.O. Box 17860  
S-D 6, Jebel Ali Freezone  
Dubai  
Tel +971 4 883 3858  
Fax +971 4 883 3868  
Mail [info@dometic.ae](mailto:info@dometic.ae)

#### UNITED KINGDOM

##### DOMETIC UK LTD.

Dometic House, The Brewery,  
Blandford St. Mary  
Dorset DT11 9LS  
Tel +44 344 626 0133  
Fax +44 344 626 0143  
Mail [sales@dometic.co.uk](mailto:sales@dometic.co.uk)

#### USA

##### DOMETIC RV DIVISION

1120 North Main Street  
Elkhart, IN 46515  
Tel +1 574-264-2131